

### **Base-vehicle:**

Model : 2ED2K5 Crafter 50 panel van

Wheelbase : 3,665 mm

Engine: 2.0 l TDI 120 kW

Transmission: 6-speed

Model year : 2014

Color : 95 43 RE Sapphire BlueR5003

Model group : LT3 GP\_\_ Crafter GP

**Original Price : 59.000 € net (Base-vehicle) + 21.000 € net (Conversion) – TOTAL : 80.000 € (net)**

Model group : LT3 GP\_\_ Crafter GP

Mileage approx: 100 - 1000 km

### **Standard configuration:**

#### **PR no. Description**

<b>AW5</b>	Standard version
<b>BD1</b>	Special requirements for Algeria
<b>B0A</b>	Component parts set without country-specific building regulation
<b>COQ</b>	Steel wheels 5.5J x 16
<b>C18</b>	Operating permit, alteration
<b>D46</b>	4-cyl. turbo dies. eng. 2.0 l/120 kW (4V), TDI, BIT common rail, base engine is TP3/TV4/TP5/TK4/T5S
<b>EA0</b>	Without follow-on warranty
<b>E0A</b>	No special edition
<b>F0A</b>	No special purpose vehicle, standard equipment
<b>GC4</b>	Chassis package C
<b>GD0</b>	Lamp failure check unit
<b>GX0</b>	Manually operated doors
<b>GZ0</b>	Manually operated doors
<b>G0K</b>	6-speed manual transmission
<b>HR1</b>	Tires 205/75 R16 C
<b>IG2</b>	Curb weight range 2
<b>J1D</b>	Battery 380 A (72 Ah)
<b>KX0</b>	Fuel tank vent line with increased fording depth (fording depth 50 cm)
<b>K4A</b>	Panel Van
<b>L0L</b>	Left-hand drive
<b>NY0</b>	Standard battery/alternator
<b>N0H</b>	Seat trim covers in fabric "Tasamo"
<b>QI3</b>	Service indicator 10 000 km or 1 year ( fix )

<b>QL7</b>	Heat-insulating glass
<b>QT4</b>	Step, integrated into rear bumper
<b>RV1</b>	Radio preparation with front speakers
<b>8RS</b>	Speakers in front
<b>8UB</b>	Radio preparation
<b>S1N</b>	Control of destination deviations
<b>S5L</b>	Basic vehicle for bodywork manufacturer
<b>TP5</b>	4-cylinder diesel engine 2.0 l unit 03L.U
<b>UF2</b>	Electrical interface for external use (CAN bus technology) and terminal block in driver's seat
<b>UH0</b>	Parking brake
<b>U4A</b>	Instrument housing assembly (km/h); display of gearshift indicator, speed, rpm, fuel gage, and time
<b>VG0</b>	Summer tires
<b>VV8</b>	Reinforced front axle
<b>V0A</b>	Tires without specification of tire brand
<b>ZD2</b>	High roof
<b>3R2</b>	High roof
<b>ZG4</b>	Chassis package C
<b>GC4</b>	Chassis package C
<b>HR1</b>	Tires 205/75 R16 C
<b>VV8</b>	Reinforced front axle
<b>0AC</b>	Front stabilizer, reinforced
<b>0BC</b>	Rear stabilizer
<b>ZK8</b>	Air-conditioning system Climatic (semiautomatic), with dust and pollen filter, as well as outside temperature display
<b>9AP</b>	Air conditioning system Climatic (semi-automatic) with dust and pollen filter
<b>9Q9</b>	Outside temperature display
<b>ZR9</b>	Steel spare wheel with original equipment tire (Tire Mobility Set omitted)
<b>1B1</b>	Standard spare wheel bracket
<b>1G2</b>	Spare wheel (steel) with original equipment tire
<b>1S1</b>	Tool kit and jack
<b>ZT0</b>	Omission of partition
<b>0AC</b>	Front stabilizer, reinforced
<b>0BC</b>	Rear stabilizer
<b>0D1</b>	Cab doors with power windows
<b>0E+0</b>	Medium wheelbase
<b>0GG</b>	Emission standard EU4 (without DPF)
<b>0JD</b>	Weight category front axle weight range 4
<b>0M1</b>	Fuel tank (volume 100 l), plastic
<b>0NB</b>	Nameplates for model and engine designation
<b>0P0</b>	Tailpipe, up to vehicle center
<b>0WF</b>	Gross vehicle weight rating 5000 kg
<b>0YA</b>	Weight range 1 installation control only, no requirement forecast
<b>0Y2</b>	Tropical zones
<b>1AS</b>	Electronic Stability Control with brake assistant, ABS, ASR, EDL, and emergency brake signal
<b>1BA</b>	Shock absorber, standard
<b>1B1</b>	Standard spare wheel bracket
<b>1EY</b>	Identification plate with weight data, without COC (without EC type approval, required in EU single registration)
<b>1F3</b>	One towing eye in front
<b>1G2</b>	Spare wheel (steel) with original equipment tire
<b>1HZ</b>	Labels without country group
<b>1MM</b>	Steering wheel
<b>1NB</b>	Wheel center trim
<b>1P0</b>	Standard suspension
<b>1SB</b>	Rough-road version
<b>1S1</b>	Tool kit and jack
<b>1T6</b>	Emergency lantern, warning triangle, and first aid kit



<b>1X2</b>	Rear-wheel drive
<b>1Z2</b>	Increased fuel factory fill (23 l)
<b>2C0</b>	Power steering with safety steering column, steering wheel not adjustable
<b>2E+0</b>	Base chassis
<b>2JB</b>	Bumper (plastic), gray
<b>2NB</b>	Wheel chock
<b>3B0</b>	Without additional child seat anchors
<b>3J2</b>	Height-adjustable front head restraints
<b>3RD</b>	Rear wing doors without windows (closed)
<b>3R2</b>	High roof
<b>3SK</b>	Fixed right seat in 1st row of seats (cannot be adjusted)
<b>3TH</b>	Left seat with multiple adjustment in 1st row of seats
<b>4GF</b>	Heat-insulating windshield made of laminated glass
<b>4HA</b>	Without rear window
<b>4JA</b>	Without side window aperture in load compartment, rear right
<b>4K1</b>	Central locking w/ radio remote control
<b>4L2</b>	Breakaway interior rearview mirror, dimming
<b>4M0</b>	Without cup holder in passenger compartment
<b>4N0</b>	Standard dashboard
<b>4QW</b>	3-point seat belts, front
<b>4R1</b>	Power windows
<b>4S2</b>	Armrest for left front seat and padded armrest in left door trim panel
<b>4UC</b>	Driver airbag
<b>4Z1</b>	Glove compartment with lid
<b>5AC</b>	Rubber floor covering in cab
<b>5BD</b>	Wooden floor in load/passenger compartment
<b>5CF</b>	Roof interior trim as molded headliner in cab and passenger/load compartment for high roof
<b>5DB</b>	Gray-painted, medium height hardboard side trim panel in load/passenger compartment
<b>5D1</b>	Carrier frequency 433.92 MHz-434.42 Mhz
<b>5EV</b>	Registration as truck
<b>5K0</b>	Without transport protection
<b>5Q2</b>	Sliding door in load/passenger compartment, left
<b>5R2</b>	Sliding door in load/passenger compartment, right
<b>5U0</b>	Standard underbody cladding
<b>5V4</b>	Hinges for rear wing doors with increased opening angle (max. 270°)
<b>5X0</b>	Cab rear panel without lining
<b>6B1</b>	Lashing rings for load restraint system
<b>6FA</b>	Components without special surface appearance
<b>6XD</b>	Exterior mirrors (left and right), power-adjustable and heated, convex, with wide-angle range and turn signal
<b>7AA</b>	Engine immobilizer (electronic)
<b>7B5</b>	One 12-V socket in cab
<b>7N4</b>	Tray above windshield
<b>7U0</b>	Standard engine starter
<b>7WZ</b>	Rear axle ratio 4.364:1
<b>7YE</b>	Information kit in French/Arabic
<b>8BB</b>	Halogen headlamps w/ clear glass in single-light style and integrated turn signals, for driving on the right
<b>8B1</b>	Parking light mode
<b>8CA</b>	Speedometer cable without seal
<b>8FD</b>	2nd battery (100 Ah, 450 A) with cut-off relay
<b>8F1</b>	Side-marker lamps
<b>8GU</b>	Alternator 140 A
<b>8QD</b>	2 vehicle keys with radio remote control
<b>8RS</b>	Speakers in front
<b>8R1</b>	Center high-mounted stop lamp
<b>8UB</b>	Radio preparation
<b>8V1</b>	Cigarette lighter

<b>8WB</b>	Front fog lamps
<b>9AP</b>	Air conditioning system Climatic (semi-automatic) with dust and pollen filter
<b>9MA</b>	Interior lighting in load/passenger compartment with contact switches in sliding door(s) and rear gates
<b>9Q9</b>	Outside temperature display

### **Special configuration:**

Blue weather vane on the roof at the front of the vehicle

Two blue priority lights on the rear, on the left and right sides & two at the level of the grille

Removable headlamp with 12 V connector with a power 50 to 60 Kw at the right front door of the vehicle

Six Seats (3 rows of 2 individual seat in the in the direction of travel of the vehicle with seatbelt & armrest

Two rumble seats folding for to up with an armrest fixed in the right side of the 2nd 3th rows

Folding bench between drive & co driver seats

Two individual seats retractable on the against of direction of travel of the vehicle fixed in walls separating the cockpit from the rear cockpit with seatbelt & armrest

Two side doors with window

Two swing doors with window

Separation wall between the cockpit & the rear with sliding window

Floor with aluminum striated plate with skirting

Footboard at the rear

Opaque hatch on the roof "600X600 mm"

Two aerators on roof

Polycarbonate glazing on the rear

Sliding windows in the side doors, in the side panels & one in the right rear door

Window in the left rear door

Windows, optics and lights protected with galvanized wiring of 25X25 mm

luggage rack in top part of compartment in the right & left for the storage of helmets with lighting

Twelve storages for the guns in the rear of the 3rd rows

Two storages for the guns in the cockpit between driver & co driver

### **Additional information :**

- Vehicle without warranty / guarantee
- Vehicle with low kilometrage



**Chassis Number :**

WV1ZZZ2EZE6031320
WV1ZZZ2EZE6031327
WV1ZZZ2EZE6031326
WV1ZZZ2EZE6030887
WV1ZZZ2EZF6001956
WV1ZZZ2EZE6030883
WV1ZZZ2EZE6031154
WV1ZZZ2EZE6031015
WV1ZZZ2EZE6031155
WV1ZZZ2EZE6031332
WV1ZZZ2EZE6031153
WV1ZZZ2EZE6029918
WV1ZZZ2EZE6030597
WV1ZZZ2EZE6031333
WV1ZZZ2EZE6030890
WV1ZZZEZE6030888
WV1ZZZEZE6030889
WV1ZZZEZE6028983
WV1ZZZEZE6028873
WV1ZZZEZE6028982
WV1ZZZEZE6029649
WV1ZZZEZE6029651
WV1ZZZEZE6029650
WV1ZZZ2EZE6030207
WV1ZZZ2EZE6030206
WV1ZZZ2EZE6029784
WV1ZZZ2EZE60229917
WV1ZZZ2EZE6029919
WV1ZZZ2EZE6029916
WV1ZZZ2EZE6031335
WV1ZZZ2EZE6030211
WV1ZZZ2EZE6031469
WV1ZZZ2EZE6030202
WV1ZZZ2EZE6030204
WV1ZZZ2EZE6029921
WV1ZZZ2EZE6030205
WV1ZZZ2EZE6031328
WV1ZZZ2EZE31158
WV1ZZZ2EZE6031325
WV1ZZZ2EZE6031324
WV1ZZZ2EZE6031323

WV1ZZZ2EZE6031321
WV1ZZZ2EZE6029920
WV1ZZZ2EZE60229922
WV1ZZZ2EZE6030596
WV1ZZZ2EZE6030208
WV1ZZZ2EZE6031156
WV1ZZZ2EZE6031322
WV1ZZZ2EZE6030599
WV1ZZZ2EZE6030203
WV1ZZZ2EZE6031334
WV1ZZZ2EZE6030209
WV1ZZZ2EZE6031468
WV1ZZZ2EZE6031338
WV1ZZZ2EZE6031159
WV1ZZZ2EZE6031157
WV1ZZZ2EZE6031336
WV1ZZZ2EZE6031337
WV1ZZZ2EZE6028652
WV1ZZZ2EZE6028651
WV1ZZZ2EZE6028869
WV1ZZZ2EZE6028870
WV1ZZZ2EZE608648
WV1ZZZ2EZE6028647
WV1ZZZ2EZE60228871
WV1ZZZ2EZE60228872
WV1ZZZ2EZE6028863
WV1ZZZ2EZE6028864
WV1ZZZ2EZE6028352
WV1ZZZ2EZE6028348
WV1ZZZ2EZE6028867
WV1ZZZ2EZE6028868
WV1ZZZ2EZE6028346
WV1ZZZ2EZE6028347
WV1ZZZ2EZE6028649
WV1ZZZ2EZE6028477
WV1ZZZ2EZE6028862
WV1ZZZ2EZE6028861
WV1ZZZ2EZE6028646
WV1ZZZ2EZE6028650
WV1ZZZ2EZE6028476
WV1ZZZ2EZE6028353

